Adaptations

A Science A-Z Life Series
Word Count: 1,648





Visit www.sciencea-z.com





Adaptations









Written by Ron Fridell

www.sciencea-z.com

Adaptations



Written by Ron Fridell

www.sciencea-z.com

KEY ELEMENTS USED IN THIS BOOK

The Big Idea: Plants and animals, including humans, have to adapt in response to changes in the environment. These changes can range from global to microscopic, and may include changes in the climate, the population of other species sharing the same habitat, and the availability of essential resources for survival. Physical adaptations are natural occurrences, not deliberate choices. Behavioral adaptations are usually responses to environmental conditions, and are not momentary decisions made by individuals. Some adaptations turn out to be successful, and some do not. Only those organisms with successful adaptations survive and pass on their genes to future generations. Many different adaptations to a species are often successful, which has led to incredible diversity in nature.

Key words: adapt, adaptation, animals, behavior, birds, blowhole, cell, characteristics, climate, Darwin, drip tip, environment, evolution, extinct, gene, generation, habitat, humans, inherited, instinct, mutation, naturalist, organism, physical, plants, predator, rainforest, reflex, scientists, species, survival of the fittest, survive

Key comprehension skill: Main idea and details Other suitable comprehension skills: Classify information; identify facts; compare and contrast; elements of a genre

Key reading strategy: Using a glossary and bold-faced words Other suitable reading strategies: Using a table of contents and headings; ask and answer questions; connect to prior knowledge; summarize; visualize

Photo Credits:

Front cover (top left, bottom left, bottom right), pages 3, 5 (top left, bottom right), 6, 9, 10, 13, 15, 16 (left), 17 (bottom), 19 (left), 22 (both bottom): © Jupiterimages Corporation; front cover (top right): © iStockphoto.com/Prill Mediendesign & Fotografie; back cover, page 8 (top): © iStockphoto.com/Håkan Karlsson; title page, page 20 (bottom): © Behavioural Ecology Research Group/University of Oxford; page 5 (top right): © iStockphoto.com/Sam Chadwick; page 5 (bottom left): © iStockphoto.com/James Stoddard; page 8 (bottom): image courtesy of UC Museum of Palentology/www.ucmp.berkeley.edu; page 11 (top): © iStockphoto.com/Mikael Damkier; page 11 (bottom and inset): David Gates/© Learning A–Z; page 12: Sheryl Shetler/© Learning A–Z; page 14 (top): © iStockphoto.com/Carl Jani; page 14 (bottom): © iStockphoto.com/Marc C. Johnson; page 16 (right): © Stephen Dalton/Photo Researchers, Inc.; page 17 (top): © iStockphoto.com/Mark Weiss; page 18: © iStockphoto.com/Iurii Konoval; page 19 (right): © Hemera Technologies/Jupiterimages Corporation; page 22 (top left): © iStockphoto.com/Rena Schild

Illustration Credits:

Pages 4, 20: Stephen Marchesi/© Learning A-Z; page 7: Cende Hill/© Learning A-Z

Adaptations
© Learning A–Z
Written by Ron Fridell

All rights reserved.


www.sciencea-z.com



Cactus spines are an adaptation to keep animals from eating the plant.

Table of Contents

Introduction	4
Survival of the Fittest	6
Plant Adaptation	10
Animal Physical Adaptation	13
Behavioral Adaptations	16
Human Adaptations	19
Adaptations Everywhere	22
Glossary	23



Introduction

Afternoon sunlight shines through the trees in a park. A small bird called a warbler sings on a tree branch. Suddenly, he stops singing. He catches an insect flying by. The insect can't get away, and the warbler eats his snack. Down on the ground, a red cardinal cracks open seeds with his bill. A rat-tat-tat-tat sound rings out as a woodpecker makes a hole in a tree. Hunting grubs, she drills through the bark. On a pond nearby, some ducks float along. Their heads dip into the water. When they come up, their bills drip with water.

4

These birds are all looking for a meal. But because their food is different, their beaks have different shapes. The warbler's beak is pointed like tweezers. The cardinal's beak is short and hard like a nutcracker. The woodpecker's beak is hard and pointy. Duck bills strain plants and fish out of the water.

Over many thousands of years, these birds' beaks adapted to help them gather the food they need. All plant and animal **species** have **adaptations**, or changes that help them survive in their **habitat**. How do adaptations help each living thing? Let's find out.



Each bird's beak is adapted to its habitat and food source.

Survival of the Fittest

All living things, or **organisms**, must **adapt** to changes in their environment to survive. If they adapt, their babies will survive. Living things that do not adapt usually die out. When plants and animals adapt as a way to survive it is known as "**survival of the fittest**." The first person to write about this idea was Charles Darwin, a British naturalist. He wrote about it 150 years ago.

How do adaptations happen? Within a species, lots of individuals are born with slight differences. These differences may change the way an animal or


plant grows and what it can do. Sometimes one of those differences can help that living thing adapt to a change in the environment.




Charles Darwin

If the change helps a living thing survive, that living thing will pass on the change to the next generation. The change becomes an adaptation.

For instance, millions of years ago, all whales had teeth and breathed out of holes at the end of their snout. Over many generations, some whales developed a breathing hole further up their head. These whales could breathe more easily in deep water. They could rise to the water's surface and take a breath without sticking their snouts above the water. As whales began to spend more time far out in the ocean, away from shore, the whales with higher breathing holes survived better. Their babies also had breathing holes high on their heads.





Today, the whale has a hole on top of its head for a nose. It is called a **blowhole**. The blowhole makes it easier for the whale to breathe. When it needs to breathe, a whale keeps the blowhole above water. It takes a breath through its blowhole. Then the whale dives back down into the ocean.




This skull is from a very ancient whale. Its breathing hole was further forward than a modern whale's.

7



What happens to plants and animals that cannot adapt to changes in their environments? They become extinct, which means they die out and none are left on Earth. Thousands of living things died out before humans existed. We learn about these extinct plants and animals from fossils.



Maybe dinosaurs did not adapt to changes in their environment.

Dinosaurs became **extinct** 65 million years ago, but no one can be sure why. Some scientists say a giant meteor may have hit Earth. It may have sent tons of dust into the air that blocked the sun and killed their food. Others think dinosaurs died out because they could not adapt quickly enough when Earth's climate changed.



Desert plants are spaced wide apart.

Plant Adaptations

Plants have to adapt to their environment to survive and make new plants. For example, they must find a way to get enough water and sunlight to make their own food. Let's look at how desert plants and rainforest plants had to adapt to get the water and sunlight they need.

There is not much water in the desert. Most deserts get less than 25 centimeters (10 inches) of rain every year. But each plant must get some water. Plants in the desert grow apart from each other so they do not have to share the small amount of water when it rains.

9

Rainforests get about 200 centimeters (80 inches) of rain every year. Some plants have adapted the shape of their leaves so rainwater rolls off easily. Their leaves have sharp points called drip tips that make the water run to the tips of the leaves. Then the water drops to the ground. If the plant



received too much water, it would die.

Though there is not much water in the desert, there is plenty of sunlight. The desert haworthia plant has adapted to protect itself from too much light and heat. It grows mostly

underground where it is cooler. But the plant must get some sunlight to make food. So the tips of its leaves poke through the soil. They have clear "windows" to let in light.



"Windows" in the haworthia's leaves let light in.

In the rainforest, trees grow tall and spread their leaves. This forms a thick layer at the top of the trunk where leaves can get sunlight. But this makes it very shady for plants underneath. Vines called *lianas* have adapted to get the sunlight they need. Lianas climb the tallest trees to reach the sunlight above them.



This vine is climbing a tree in the rainforest to reach sunlight.

CALOUS

Plants cannot see or hear, but they can still sense changes in their environment. Chemicals in the plant cells react to the heat, light, moisture, and temperature around the plant. All these things can make it easy or hard for a plant to do well. A plant grows quickly or slowly because of signals from the chemicals.


Animal Physical Adaptations

Plants make their own food, but animals have to hunt for their food. Over millions of years, some kinds of animals have changed so that they can find food more easily. Other changes protect these animals from other animals that hunt them.

The giraffe's neck is a good example. Giraffes born with longer necks could reach higher into trees to get more food than giraffes with shorter necks. They could also see enemies coming. The giraffes with long necks were more likely to survive and have babies

than the giraffes with shorter necks. Soon more giraffes were born with long necks.

The giraffe's neck is a change to its body, or a physical adaptation. Many animals, like whales, have physical adaptations too.





Before we had vehicles that could travel over sand, people used camels to get around. With their transparent eyelids and long legs, they were well adapted for traveling in the desert. Camels carried goods across desert sands in long lines called caravans. This is why the camel's nickname is the "ship of the desert."

Another example of an animal with a physical adaptation is the camel. Camels live in deserts where there are many sandstorms. This makes it hard to see. But camels have an extra set of eyelids that

are see-through. These special eyelids protect the camels' eyes from the stinging sands so they can keep moving, find food, and avoid predators.



A camel eye has a clear eyelid.

Australia's koala bears are adapted to their environment. They spend a lot of time in eucalyptus trees, eating the leaves. To help them climb trees, their toes have big gaps between them. This helps them grab branches.


The camels' eyelids and the koala bears' toes are physical adaptations. These adaptations are **inherited** from their parents.



Koalas have big gaps between their toes so that they can grab branches.

Behavioral Adaptations

Many animals have adapted their behavior as well as their body. **Behavior** is the way an animal acts and reacts to its environment. A basic inherited behavior is a **reflex**, such as a frog jumping when it is touched. A reflex is something an animal does without thinking about it.



Instinct is another kind of inherited behavior. A sea turtle digs a hole in the sand to lay its eggs because of instinct. Birds fly south in the winter because of instinct. The animals act the same way each time the same thing happens to them.

Animals learn some behaviors by being taught. For example, you can train a dog to obey commands. Reading is a behavior you learn from practicing at home and school.



Male peacocks display their tails to attract females.

Some behaviors help animals attract a mate. For example, a male peacock spreads out its colorful tail feathers to get the attention of a female peacock. The pufferfish inflates its body to look bigger to its predators.

Some behaviors keep animals safe from other animals that hunt them. Many animals, such as flamingoes and zebras, live and move in large groups. Rabbits live in underground burrows so they can hide from their enemies.



A pufferfish inflates its body to look bigger to its predators.

Scientists are puzzled by some behavioral adaptations. They don't know if the behavior is inherited at birth or was learned later from parents.

Some scientists wanted to find out if birds know songs when they are born or if they learn them later from their parents.

They studied the songs of birds that grew up in a group with parents. These birds' songs sounded just like their parents' songs.

The scientists listened to the songs of birds that lived on their own.
These birds knew how to sing, but their songs were very simple.



Birds sing simple songs by instinct, but they learn complex songs from others.

The scientists decided that birds inherit the ability and urge to sing. But young birds learn complex songs by listening to older birds.

Many behavioral adaptations are like bird songs. When animals are born, they know part of a behavior. Then they learn other parts from their parents and other animals.

Human Adaptations

People adapt too. For example, we keep cool in hot weather by sweating. When it is hot, the sweat evaporates and cools our skin. In cold weather, we shiver, which makes enough heat to warm us up for a short time.




Sweating is an adaptation to help stay cool.



Only mammals sweat. Primates sweat all over their bodies. Dogs and cats only sweat on their feet.



Shivering is an adaptation to help stay warm.



The adaptation of intelligence helped us create tools and hunt.

Early humans learned to make tools because they needed to survive in a dangerous environment. The animals that lived around them used strong jaws and sharp teeth to survive. Humans used their intelligence to invent tools. This helped them hunt animals and survive.

WOUSER!

This crow bent a wire to turn it into a hook. That's the first evidence of birds making tools!





One of the most important human adaptations is our use of language to communicate. The songs of birds and the cries of monkeys are simple signals. But humans have developed complex systems of sounds and symbols to communicate with each other. There are over 6,900 languages spoken in the world today.

Like all animals, humans have adapted. But while animals inherit most of their adaptations, we mostly use learned behaviors to get what we need. To keep warm, we wear clothing, build fires, make electricity, and live in homes. To get food, we grow fruits and vegetables, and raise animals. We learn to speak, read, and write languages. We use bikes, cars, and airplanes to get around.

Adaptations Everywhere

Think about adaptation. Consider physical and behavioral adaptations. What do you know about inherited and learned adaptations?

Look around your own environment. What adaptations do you see? How do the adaptations help living things get everything they need?





How have these organisms adapted to their environments?

	Glossary	habitat	the natural conditions and
adapt	to change parts of the body and behavior to match changes		environment in which a plant or animal lives (p. 5)
a dentation	in the environment (p. 6)	inherited	passed on from parent to child (p. 15)
adaptation	a specific change to a physical feature or a behavior common to a species which helps the species survive (p. 5)	instinct	inherited behavior that leads an animal to act certain ways in certain situations (p. 16)
behavior	a way of reacting to a certain set of circumstances (p. 16)	organism	a living thing (p. 6)
blowhole	a hole at the top of a whale	reflex	an automatic response (p. 16)
	or dolphin's head, through which it breathes (p. 8)	species	a group of related organisms with characteristics that distinguish it from other
environment	all of the conditions affecting an organism in one area,		groups of organisms (p. 5)
	including the plants, animals, water, soil, weather, landforms, and air (p. 5)	survival of the fittest	a theory explaining that the organisms best suited to live in a particular environment are those most likely to survive
extinct	no longer in existence (p. 9)		(p. 5)